

IP INTERCOM & SMART HOME SYSTEMS

17°

AKILLI BİNA VE

2

SMART HOME





Content

Door Panels	6-7
Villa Door Panels	В
Indoor Monitors	9 - 15
Guard Unit and Connectors	16 - 17
Home Automation System	18 - 19
Connection Diagram	20 - 21
Documents & References	22 - 23





Regardless of the number of apartments

sini girin veya kar okutun 1234 2 1 3 6 4 5 7 8 9 x 0 ~ Ô 5

Features

7 " Main Exterior Door Station (48V)
High resolution night vision camera
Standard TCP/IP
Visual angle 110°
7 " LCD with easy-to-use interface
Card reader with IC card support
Search from the name list
Face recognition and detection
2mp camera
Conversation with mobile phone via cloud
Timed password enforcement
Door relay ;

Normal - closed / Normal - open



BP-OSOB6 7" Door Panel



Face Recognition Feature









7" LCD Touch Screen

Ð

IC Card, Password and QR code support



Remote phone access feature





4.3 " Main Outer Door Station (24V)

High resolution night vision camera

Standard TCP/IP

Visual angle 110°

4.3" LCD with easy-to-use interface

Card reader with IC card support

IP54 protection against dust and liquid

Door relay ;

Normal - closed / Normal - open



BP-OSOB2-IC/BGD-4KB24 4,3" Door Panel



Handy Keypad



4.3" LCD Screen and IC reader







Villa Outer Door Station (24V)

High resolution night vision camera

Standard TCP/IP

Visual angle 110°

IC card support

One-touch security search



Villa Door Panel

CMOS Camera

BTV-VS0B2-IC-24 / BGD-VKP



IC Card Reader



Stylish design





B7-ISB11 7" Indoor Station

Features

24V standard PoE

- Automatic visitor photo save
- Unlimited and data lossless calls between apartments
- Sending an emergency notification to security
- 8 different types of alarm support (Notification to
- Addressed Security)
- Multi-language option
- Multiple ring option
- Easy to use interface
- Storing alarm and call logs
- Receiving images and texts from the management
- Automation support

~	1	
	1	4
*	Ê	۲ ۱

Sensitive touch key function





Touch screen feature





24V standard PoE

Automatic visitor photo save

Unlimited and data lossless calls between apartments

Sending an emergency notification to security

8 different types of alarm support (Notification to

Addressed Security)

Multi-language option

Multiple ring option

Easy to use interface

Storing alarm and call logs

Receiving images and texts from the management

Automation support

088	8
	1
1	





Touch screen feature

B7 - ISOB7

7" Indoor Station

Stylish Design

B10-ISOB6-S 10.1" Indoor Station

Features

1

V 💬 O 🖾 🕅

24V standard PoE

Automatic visitor photo save

Unlimited and data lossless calls between apartments

Sending an emergency notification to security

8 different types of alarm support (Notification to

Addressed Security)

Multi-language option

Multiple ring option

Easy to use interface

Storing alarm and call logs

Receiving images and texts from the management

Automation support



🔹 🤁 💆 🗭 🗘 🛐 関

9

15:40

.

Stylish Design

8

Ŷ





Touch screen feature





48V standard PoE

Automatic visitor photo save

Unlimited and data lossless calls between apartments

Sending an emergency notification to security

8 different types of alarm support (Notification to Ad-

dressed Security)

Multi-language option

Multiple ring option

Easy to use interface

Storing alarm and call logs

Receiving images and texts from the management

Automation support

		\mathbf{X}	
8		*	Ť
9		Ţ	E
	- -		

BGD-7IPB48

7" Indoor Station

Sensitive touch key function

Touch screen feature









Features

24V standard PoE

Automatic visitor photo save

Unlimited and data lossless calls between apartments

Sending an emergency notification to security

Multi-language option

Multiple ring option

Easy to use interface

Storing alarm and call logs



Sensitive touch key function

TFT 4.3" Display



Easy montage

4.3" Indoor Station

B4-ISOB2-W





24V standard PoE

Automatic visitor photo save

Unlimited and data lossless calls between apartments

Sending an emergency notification to security

8 different types of alarm support (Notification to

Addressed Security)

Multi-language option

Multiple ring option

Easy to use interface

Storing alarm and call logs

Receiving images and texts from the management

45	2		
3	?	*	
	×	 *0	

....

: 40

6

Button keypad

BGD-7IPB24

7" Indoor Station (24V)









B7 -ISB10 7" Indoor Station (24V)

Features

24V standard PoE

Automatic visitor photo save

Unlimited and data lossless calls between apartments

Sending an emergency notification to security

8 different types of alarm support (Notification to

Addressed Security)

Multi-language option

Multiple ring option

Easy to use interface

Storing alarm and call logs

Receiving images and texts from the management



Stylish design





Touch screen feature

BGD - GUB10 10.1" Guard Station

((-))

Features

1

10.1" Security Unit Standard TCP / IP Resolution 1024 * 600
10.1" capacitive touchscreen
Connection of up to 255 IP cameras
card management system
Alarm and help information processing
Call to all system units
Emergency unlocking



10" LCD Screen




Stylish design



Handy keypad

Connectors





Automation System

It's time to make your home smart



O Mutfak

Genel

Smart Home Smart Choice

We offer comfort and safety at an affordable price with its easy to use and advanced technology.



························

4 or 8 Channel Main Module

- 4 or 8 channel relay unit
- With the wifi feature, Managed from IOS and ANDROID-based products
- Scenario support is given.(I'm at home, I'm out, Kids, Vacation mode)
- Management either from the Key , indoor intercom panel or mobile phone is provided.
- [Additional modules can be added as needed.]
- The relay unit can be used both as a curtain module and as a relay module.

Air Conditioning Unit

- Wall mounted room thermostat unit
- Used with central relay unit.(Cannot be used alone)

- It detects the temperature in the environment and according to the value coming from the system,

- It ensures the operation of boiler or air conditioner.
- Thermostat unit is not only for boiler control,

It can be used in climate control when your air conditioner has the appropriate thermostat input.



Air Conditioning



Curtain - Blinds



Lighting



Security



Water - Electricity



Magnetic Door

Contact



PIR Detector



Let the Elevator Come



Smoke Sensor

Garden

Irrigation



Gas Sensor

Garage Door


Control










Connection Diagram












Gücümüzü adımızdan alıyoruz... We take our strength from our name...

ELEKTRONIK SISTEM ÇÖZÜMLERİ ELECTRONIC SYSTEM SOLUTIONS





Fevzi Çakmak Mh. Demirkapı Cd. No: 17/B 42050 KONYA/TÜRKİYE

+90 332 654 54 54

www.babayigit.com.tr
 proje@babayigit.com.tr